UNITED STATES DEPARTMENT OF COMMERCE United States Patent and Trademark Office Address: COMMISSIONER FOR PATENTS P.O. Box 1450 Alexandria, Virginia 22313-1450 www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/824,439	04/15/2004	Tetsuya Sawano	0649-0955P	6298
2292 7590 09/27/2007 BIRCH STEWART KOLASCH & BIRCH PO BOX 747			EXAMINER	
			HERRERA, DIEGO D	
FALLS CHURCH, VA 22040-0747			ART UNIT	PAPER NUMBER
,			2617	
			NOTIFICATION DATE	DELIVERY MODE
			09/27/2007	ELECTRONIC

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

Notice of the Office communication was sent electronically on above-indicated "Notification Date" to the following e-mail address(es):

mailroom@bskb.com

		Application No.	Applicant(s)	
Office Action Summary		10/824,439	SAWANO, TETSU	JYA
		Examiner	Art Unit	
		Diego Herrera	2617	
Period fo	The MAILING DATE of this communication app or Reply	ears on the cover shee	with the correspondence ac	dress
A SH WHIC - Exter after - If NC - Failu Any	ORTENED STATUTORY PERIOD FOR REPLY CHEVER IS LONGER, FROM THE MAILING DANS IN THE MAIL	ATE OF THIS COMMU 36(a). In no event, however, ma vill apply and will expire SIX (6) No., cause the application to become	NICATION. y a reply be timely filed MONTHS from the mailing date of this ce a ABANDONED (35 U.S.C. § 133).	
Status				
-	Responsive to communication(s) filed on <u>26 Ju</u> This action is FINAL . 2b) This Since this application is in condition for allower closed in accordance with the practice under E	action is non-final.	•	e merits is
Dispositi	on of Claims			
5)□ 6)⊠ 7)□ 8)□ Applicati 9)□	Claim(s) 1-21 is/are pending in the application. 4a) Of the above claim(s) is/are withdraw Claim(s) is/are allowed. Claim(s) 1-21 is/are rejected. Claim(s) is/are objected to. Claim(s) is/are subject to restriction and/or on Papers The specification is objected to by the Examine The drawing(s) filed on is/are: a) access	vn from consideration. r election requirement. r.	to by the Eveniner	,
	Applicant may not request that any objection to the Replacement drawing sheet(s) including the correct The oath or declaration is objected to by the Ex	drawing(s) be held in abe ion is required if the draw	yance. See 37 CFR 1.85(a). ing(s) is objected to. See 37 Cl	• •
Priority u	ınder 35 U.S.C. § 119			
a)[Acknowledgment is made of a claim for foreign All b) Some * c) None of: 1. Certified copies of the priority documents 2. Certified copies of the priority documents 3. Copies of the certified copies of the priority application from the International Bureausee the attached detailed Office action for a list	s have been received. s have been received in ity documents have be t (PCT Rule 17.2(a)).	n Application No en received in this National	Stage ·
2) D Notic 3) D Inforr	e of References Cited (PTO-892) se of Draftsperson's Patent Drawing Review (PTO-948) mation Disclosure Statement(s) (PTO/SB/08) r No(s)/Mail Date	Paper	w Summary (PTO-413) No(s)/Mail Date of Informal Patent Application 	

DETAILED ACTION

Response to Arguments

Applicant's arguments filed 6/26/2007 have been fully considered but they are not persuasive.

In response to applicant's arguments concerning claims 1-21, wherein an image processor unit that receives and transmit, reads on the references stated on the office action.

Wilcock et al. and Ogaki et al. teaches associating image and location data and positioning information transmitting device and positioning information transmitting/receiving system, wherein the mobile receive information from satellite and base station, hence, the ability to transmit and receive. Data sent with location of where the image was processed is taught by Wilcock, there is no reason for this device not to be able to do the same functions as claim by the applicant since these claims are oriented towards an apparatus claim, the reference meet the limitations of the claims.

Regarding the claims 1-21, the features are shown via the primary and secondary references cited in the action, where Wilcock et al. and Ogaki et al. show motivations and can be used because they are in the same field and teaching nearly identical systems for a image processor.

Therefore, the argued features are written broad such that they read upon the cited references or are claiming the same limitations as the cited references.

Art Unit: 2617

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negatived by the manner in which the invention was made.

The factual inquiries set forth in *Graham* v. *John Deere Co.*, 383 U.S. 1, 148 USPQ 459 (1966), that are applied for establishing a background for determining obviousness under 35 U.S.C. 103(a) are summarized as follows:

- 1. Determining the scope and contents of the prior art.
- 2. Ascertaining the differences between the prior art and the claims at issue.
- 3. Resolving the level of ordinary skill in the pertinent art.
- 4. Considering objective evidence present in the application indicating obviousness or nonobviousness.

Claims 1-21 are rejected under 35 U.S.C. 103(a) as being unpatentable over Wilcock et al. (US 6741864B2), and in view of Ogaki et al. (US 7065370B2).

Regarding claim 1. Wilcock et al. discloses an image processing server (fig. 9, 11-12; col. 9 lines: 45-56, Wilcock et al. teaches server uniting information to image), comprising: a communication unit that receives image data from a mobile communication device, the image, data having been sensed by the mobile communication device (fig. 11, col. 10 lines: 11-29, Wilcock et al. teaches image being uploaded to mobile from camera then receiving information about location related to image and coordinates); a specifier that specifies a position of the mobile communication device based on Global positioning system (GPS)

Art Unit: 2617

information relating to a satellite representing a communication region where the image data was sensed by the mobile communication device (fig. 4, 5 col. 4 lines: 38--col. 5 lines: 25, Wilcock et al. teaches the use of a camera with a GPS receiver receiving data about date, and other data as viewed in fig. 4); and However, Wilcock et al. does not discloses specifically about mobile device receiving information about location related to base station, nonetheless, Ogaki et al. teaches about mobile device receiving information about location related to base station (col. 1 lines: 15-22, col. 4 lines: 6-14; Ogaki et al. teaches receiving information about the distance or position of mobile in current area).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to specifically include about mobile device

the time the invention was made to specifically include about mobile device receiving information about location related to base station, as taught by for the purposes of location information.

an adder that adds first position information indicative of the specified position to the image data as attribute information of the image data (fig. 4, 5 col. 4 lines: 38--col. 5 lines: 25, Wilcock et al. teaches the use of a camera with a GPS receiver receiving data about date, and other data as viewed in fig. 4).

Regarding claim 5. Wilcock et al. discloses an image processing server (fig. 9, 11-12; col. 9 lines: 45-56, Wilcock et al. teaches server uniting information to image), comprising:

a communication unit that receives image data and first global positioning system (GPS) position information, the image data have been sensed by a mobile

being uploaded to mobile from camera then receiving information about location related to image and coordinates); and the first GPS position information relating to a base station representing a communication region where the image data was sensed by the mobile communication device (col. 1 lines: 15-22, col. 4 lines: 6-14; Ogaki et al. teaches receiving information about the distance or position of mobile in current area); and an adder that adds second position information; indicative of a position where the image sensor in the mobile communication device sensed the image data, to the image data sensed by the image sensor as attribute information of the image data based on the first position information (fig. 4, 5 col. 4 lines: 38-- col. 5 lines:25, Wilcock et al., teaches the use of a camera with a GPS receiver receiving data about date, and other data as viewed in fig. 4).

Regarding claim 12. An image processing server (fig. 9, 11-12; col. 9 lines: 45-56, Wilcock et al. teaches server uniting information to image), comprising:

means for receiving image data from a mobile communication device the image data having, been sensed by, the mobile communication device (fig. 11, col. 10 lines: 11-29, Wilcock et al. teaches image being uploaded to mobile from camera then receiving information about location related to image and coordinates);

However, Wilcock et al. does not discloses specifically about mobile device receiving information about location related to base station, nonetheless,

Ogaki et al. teaches about mobile device receiving information about location

related to base station (col. 1 lines: 15-22, col. 4 lines: 6-14; Ogaki et al. teaches receiving information about the distance or position of mobile in current area). Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to specifically include about mobile device receiving information about location related to base station, as taught by for the purposes of location information means for adding first position information indicative of the specified position to the image data as attribute information of the image data (fig. 4, 5 col. 4 lines: 38--col.5 lines:25, Wilcock et al. teaches the use of a camera with a GPS receiver receiving data about date, and other data as viewed in fig..4).

Regarding claim 16. An image processing server, comprising: means for receiving image data and first Global positioning system (GPS) position information, the image data having been sensed by a mobile communication device (fig. 11, col. 10 lines: 11- 29, Wilcock et al. teaches image being uploaded to mobile from camera then receiving information about location related to image and coordinates); and the first GPs position information relating to a base station representing a communication region where the image data was sensed by the mobile communication device (col. 1 lines: 15-22, col. 4 lines: 6-14; Ogaki et al. teaches receiving information about the distance or position of mobile in current area) and means for adding second position information, indicative of a position where an image sensor in the mobile communication device sensed the image data, to the image data sensed by the image sensor as attribute information of

Art Unit: 2617

the image data based on the first position information (fig. 4, 5 col. 4 lines: 38-col. 5 lines: 25, Wilcock et al. teaches the use of a camera with a GPS receiver receiving data about date, and other data as viewed in fig. 4).

Regarding claim 21. A method of providing location information to image date, the location information indicative of the location where the image data was sensed (fig. 4, 5 col. 4 lines: 38--col. 5 lines: 25, Wilcock et al. teaches the use of a camera with a GPS receiver receiving data about date, and other data as viewed in fig. 4), comprising: receiving a message from a mobile communication device, the message including image data sensed by the mobile communication device (fig. 11, col. 10 lines: 11-29, Wilcock et al. teaches image being uploaded to mobile from camera then receiving information about location related to image and coordinates);

However, Wilcock et al. does not discloses specifically about mobile device receiving information about location related to base station, nonetheless, Ogaki et al. teaches about mobile device receiving information about location related to base station (col. 1 lines: 15-22, col. 4 lines: 6-14; Ogaki et al. teaches receiving information about the distance or position of mobile in current area).

Therefore, it would have been obvious to a person of ordinary skill in the art at the time the invention was made to specifically include about mobile device receiving information about location related to base station, as taught by for the purposes of location information; acquiring location information associated with the specified base station; and adding the acquired location information to the

received image data information, as attribute information (fig. 4, 5 col. 4 lines: 38mco1.5 lines:25, Wilcock et al. teaches the use of a camera with a GPS receiver receiving data about date, and other data as viewed in fig. 4).

Consider claim 2. The combination of Wilcock et al. and Ogaki et al. discloses the image processing server of claim 1, <u>further, comprising: a database that stores global positioning system (GPS) information for a plurality of base stations (fig. 10.qaki, fig. 1 Wilcock):</u> wherein the specifier specifies the position of the mobile communication device based on <u>base station related information</u>, the base station being used in transmitting the image data and the database storing the GPS information in <u>association</u> with the base <u>station related information</u> (fig. 3-5, 11-12, 17; col. 8 lines: 39-51, col. 10 lines: 11-30, Wilcock et al. teaches system receiving information from mobile to service system storing information such as GPS location data).

Consider claim 3. (Original) The image processing server of claim 1, The combination of Wilcock et al. and Ogaki et al. discloses wherein the first position information includes at least one of global positioning system (GPS) information, address information and a place name (fig. 3-5, 11-12, 17; col. 8 lines: 39-51, col. 10 lines: 11-30, Wilcock et al. teaches system receiving information from mobile to service system storing information such as GPS location data).

Art Unit: 2617

Consider claim 4. (Currently Amended) The image processing server of claim 2, The combination of Wilcock et al. and Ogaki et al. discloses wherein the base station <u>related</u> information includes a base station number of the base station (col. 10 lines: 45-67, Wilcock et al. teaches information from location server or GPS information).

Consider claim 6. (Currently Amended) The image processing server of claim 5, The combination of Wilcock et al. and Ogaki et al. discloses wherein the first position information includes at least one of global positioning system (GPS) information, address information and a place name (col. 8 lines: 39-51, col. 10 lines: 11-30, Wilcock et al. teaches system receiving information from mobile to service system storing information such as GPS location data).

Consider claim 7. The image processing server of claim 5, The combination of Wilcock et al. and Ogaki et al. discloses wherein the <u>second</u> position information includes at least one of a base station number and a place name, obtained from a base station (fig. 3-5, col. 8 lines: 39-51, col. 10 lines: 11- 30, Wilcock et al. teaches system receiving information from mobile to service system storing information such as GPS location data).

Consider claim 8. The image processing server of claim 1, The combination of Wilcock et al. and Ogaki et al. discloses wherein the adder adds the first position information to an exchangeable information file (Exif) tag of the image data (fig.

4, 5 col. 4 lines: 38--co1.5 lines: 25, Wilcock et al. teaches the use of a camera with a GPS receiver receiving data about date, and other data as viewed in fig. 4).

Consider claim 9. The image processing server of claim 5, The combination of Wilcock et al. and Ogaki et al. discloses wherein the adder adds the second position information to an exchangeable information file (Exit) tag of the image data (fig. 4, 5 col. 4 lines: 38--col. 5 lines: 25, Wilcock et al. teaches the use of a camera with a GPS receiver receiving data about date, and other data as viewed in fig. 4).

Consider claim 10. The image processing server of claim 8, The combination of Wilcock et al. and Ogaki et al. discloses further comprising: an adder that adds the Exif tag to the image data if the image data received from the mobile communication device does not include an Exif tag (fig. 3, 4, col. 4 lines: 10-33, Wilcock et al. teaches user is able to add label or information not provided originally).

Consider claim 11. The image processing server of claim 9, The combination of Wilcock et al. and Ogaki et al. discloses further comprising: an adder that adds the Exif tag to the image data if the image data received from the mobile communication device does not include an Exif tag (fig. 3, 4, col. 4 lines: 10-33, Wilcock et al. teaches user is able to add label or information not provided

originally).

Consider claim 13. The image processing server of claim 12, The combination of Wilcock et al. and Ogaki et al. discloses <u>further comprising</u>: a database for <u>storing global positioning system (GPS) information for a plurality of base stations (col. 8 lines: 39-51, col. 10 lines: 11-30, Wilcock et al. teaches system receiving information from mobile to service system storing information such as GPS location data); and wherein the means for specifying specifies the position of the mobile communication device based on the <u>base station related</u> information (col. 1 lines: 15-22, col. 4 lines: 6-14; Ogaki et al. teaches receiving information about the distance or position of mobile in current area), the base station being used in transmitting the image data and the database storing the GPS information <u>associated</u>—in association with the base <u>station related</u> information (col. 8 lines: 39-51, col. 10 lines: 11-30, Wilcock et al. teaches system receiving information from mobile to service system storing information such as GPS location data).</u>

Consider claim 14. The image processing server of claim 12, The combination of Wilcock et al. and Ogaki et al. discloses wherein the first position information includes at least one of global positioning system (GPS) information, address information and a place name (col. 10 lines: 45-67, Wilcock et al. teaches information from location server or GPS information).

Art Unit: 2617

Consider claim 15. The image processing server of claim 12, The combination of Wilcock et al. and Ogaki et al. discloses wherein the second—position-base station related information includes a base station number of the base station (col. 1 lines: 15-22, col. 4 lines: 6-14; Ogaki et al. teaches receiving information about the distance or position of mobile in current area)..

Consider claim 17. The image processing server of claim 16, The combination of Wilcock et al. and Ogaki et al. discloses wherein the second position information includes at least one of global positioning system (GPS) information, address information and a place name (col. 10 lines: 45-67, Wilcock et al. teaches information from location server or GPS information).

Consider claim 18. The image processing server of claim 16, The combination of Wilcock et al. and Ogaki et al. discloses wherein the first position information includes at least one of a base station number and a place name, obtained from a base station (col. 1 lines: 15-22, col. 4 lines: 6-14; Ogaki et al. teaches receiving information about the distance or position of mobile in current area).

Consider claim 19. (Original) The image processing server of claim 12, The combination of Wilcock et al. and Ogaki et al. discloses wherein the means for adding adds the first position information to an exchangeable information file (Exif) tag of the image data (fig. 4, 5 col. 4 lines: 38--col. 5 lines: 25, Wilcock et

Page 13

Art Unit: 2617

al. teaches the use of a camera with a GPS receiver receiving data about date, and other data as viewed in fig. 4).

Consider claim 20. (Currently Amended) The image processing server of claim 16, The combination of Wilcock et al. and Ogaki et al. discloses wherein the means for adding adds the second position information to an exchangeable information file (Exif) tag of the image data (fig. 4, 5 col. 4 lines: 38--col. 5 lines: 25, Wilcock et al. teaches the use of a camera with a GPS receiver receiving data about date, and other data as viewed in fig. 4).

Conclusion

Applicant's amendment necessitated the new ground(s) of rejection presented in this Office action. Accordingly, **THIS ACTION IS MADE FINAL**. See MPEP § 706.07(a). Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will

the statutory period for reply expire later than SIX MONTHS from the date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to Diego Herrera whose telephone number is (571) 272-0907. The examiner can normally be reached on Monday-Friday.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Lester Kincaid can be reached on (571) 272-7922. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.

Diego Herrera Patent Examiner LESTER G. KINCAID SUPERVISORY PRIMARY EXAMINER